Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





Winter Blooming Heathers

Rock

1948-49

PLANT LIST

L. N. ROBERSON CO.

1540 East 102nd St. VErmont 1189 SEATTLE 55,

WASHINGTON

Greetings, Customers!

Our NURSERY offers the following as a means of letting the public know what type of plants we raise. Many names are omitted for lack of space but we will always be glad to have you write or call about other species which we may have in small quantities.

Visitors are always welcome but our small staff makes it impossible for someone to be available at all hours, so we suggest, for your convenience as well as ours, that you telephone first when planning a visit to us, especially when coming from any great distance. Closing time—4:30 P. M.; open Sundays by appointment only.

Mail orders are given prompt attention although shipping is limited to once or twice a week. Packing for shipment is gratis but PARCEL POST or EXPRESS charges are to be paid by the customer as is the RETAIL SALES TAX for Washington customers and these amounts should be included in your check or money order. No mail order under \$2.00, please!

We attempt to name plants correctly but no guarantee is expressed or implied. Growing conditions affect plants so much that they may look entirely different in your garden than they did in the nursery. They leave us in good condition and should do well if properly grown. The very fact that our supply of a certain size or type of plant may be exhausted before the season passes makes it impossible to assure mail order customers that we can meet all demands so it is always advisable to state whether you wish a substitution or a refund in case we cannot fill the order as sent.

In order to give the most information possible in the least space, each plant name is followed by the color of the flower, ultimate height or height of blossom—whichever applies, and approximate time of flowering. All plants with the exception of "rooted cuttings" are ready to set out into the garden although different groups may vary in maturity. A dwarf shrub is comparatively young and small at three to five years while an herbaceous perennial should be divided and reset that often.

+ + +

NOTE: It is our intention to have printed a supplement to this list some time during the fall of 1948 or the spring of 1949. An entirely new list will not be prepared until the autumn of 1949, so we suggest that this one be kept for reference.

Rock Plants

A good rock garden demands special attention to the soil when planting. Sandy loam, peat moss and well rotted manure in equal portions provide a good base soil for general use. Plants with special requirements may have other ingredients added.

Be sure no air pockets are left when working with the soil, either when the rocks are set or when plants are put in. The plant roots should be firmed well at the time of transplanting and after any freezing weather which might cause them to be heaved from the ground. Such plants as dianthus and saxifrage profit from having the dead blossoms removed after flowering unless seed is desired.

AETHIONEMA WARLEY ROSE—rose pink, 6", June	.75
A. STYLOSUM—lighter in color, and taller	.50
AJUGA METALLICA CRISPA—blue, 3", summer	.35
ALYSSUM SAXATILE—Basket-of-Gold—yellow, 10", April	.25
A. S. COMPACTUM—More compact form of the above	.25
A. S. SULPHUREUM—An improved form	.75
ANDROMEDA POLIFOLIA MONTANA-pink, 8", April	.75
A. P. NANA COMPACTA—very dwarf	1.00
ANEMONE NEMEROSA ALLENI-lavendar blue, 8", April	.50
A. PULSATILLA—lavendar, 6" to 12", March	.25
AQUILEGIA ALPINA—deep blue, 12", May	.35
ARABIS—unclassified evergreen variety, white, 6", April	.25
A. ALPINA—white, 4", March	.25
A. A. FLORE PLENO-double white, 10", April	.25
A. A. ROSEA—mauve, 4", March	.25
ARMERIA CAESPITOSA-pink, 3", May	.50
A. MARITIMA—Sea Thrift—deep rose, 8", May	.50
ARTEMISIA SCHMIDTIANA NANA—silver foliage, 4" to 8"	.50
AUBRIETIA MONARCH STRAIN-mixed colors, 4", March	.25
BELLIS PERENNIS—pink or white, 6", long season	.25
B. P. DRESDEN CHINA-miniature, pink, 3", May	.25
B. P. KELWAY'S DOUBLE CRIMSON—quilled red, 6", May	.25



Anemone nemerosa Alleni

BUXUS SUFFRUTICOSUS—dwarf English Box—12"	
SCHLAGIANA, C. RADDEANA, and C. ROTUNDIFOLIA NANA	.25
CERASTIUM TOMENTOSUM—Summer Snow—white, 8", July	.25 .25
CHEIRANTHUS ALLIONI and C. KEWENSISCHRYSANTHEMUM—low growing, early blooming	.50
Amelia, Amelia albo, Butterball, Fireglow, Glacier, Glorymum,	.50
Golden Charm, Lavendar Lassie, Mandalay, Robert Brydon,	
Santa Claus, September Cheer, Welcome.	
CISTUS LAURIFOLIUS—white, many yellow stamens, 3',	
July	1.00
COTONEASTER ADPRESSA—deciduous, spreading	.75
C. HORIZONTALIS—deciduous, bright red berries	.75
C. HUMIFUSA RADICANS—flat to the ground, evergreen	.75
C. MICROPHYLLA GLACIALIS—evergreen, low growing	.75
CYCLAMEN NEOPOLITANUM—Hardy Cyclamen—winter, 4"	.25
DAPHNE CNEORUM—plain or variegated, pink, fragrant	.50
D. ODORA—shiny evergreen leaves, pink, 4', early	.75
DIANTHUS ALPINUS ALWOODI—pink, 6", June	.35
D. BARBATUS-midget Sweet William-mixed, 8", July	.35
D. CARYOPHYLLUS—Carnation—pink, 10", summer	.35
D. COCCINEUS—bright red, creeping, June	.25
D. GRANITICUS—deep pink, small flowers, 6", June	.25
D. NEGLECTUS—cherry red, 4", June	.75 .35
D. P. ELINOR—rosy red with dark eye, 12", summer	.50
D. STERNBERGI—white with fringed petals, 8", August	.35
DRYAS SUMDERMANNI—white anemone-like flowers, 6", May	.50
EPIGAEA REPENS—Trailing Arbutus or Mayflower	1.00
ERINUS ALPINUS—dark green tufts, lavendar, 6", May	.50
ERYSIMUM PULCHELLUM—orange or sulphur yellow, 6", April	.50
ESCALLONIA ALBA—white, 6", July, profuse bloomer	1.00
E. LANGLEYENSIS-pink, 6', July	
E. RUBRUM—garnet, 4', July, sprawling habit	.75
GAULTHERIA MIQUELIANA-very low growing, white berries	.75
G. NUMMULARIOIDES—small hairy leaves	.75
GERANIUM SANGUINEUM—magenta, creeping, July	.25
G. S. ALBUM-white, up to 15", July	.25
GEUM BORISI—vivid orange, 18", August	.50
GLOBULARIA CORDIFOLIA—steel blue, 3", June	.75
GYPSOPHILA REPENS ROSEA—trailing, pink, 3", summer50 and	.75
HEDERA HELIX—Small Leaved Ivy, plain and variegated	.25
H. H. CANARIENSIS—bushy, much branched	.50
H. H. CONGLOMERATA—very slow growing creeper	1.50
H. H. C. ERECTA—Tree Ivy—2'-3'	.50



Dianthus plumarius Elinor



Dianthus graniticus


HELIANTHEMOM VOLGARE—ROCK Rose of Sun Rose—6 , July	.50
Apricot, Ben Ledi (red), Brunette (burnt orange), Fireball (double	
red), Peach Blossom, Shrimp, Wendell's Rose, White.	
	1.25
HEUCHERA SANGUINEA—Coral Bells, 14', May	.35
HORMINUM PYRENAICUM—crinkled leaves, purple, 10", May	.50
HYPERICUM ANAGALLOIDES—tiny creeper for wet places	.50
IBERIS SAXATILIS HYBRID—white, 6", May, compact	.75
1. SEMPERVIRENS—sturdy spreading shrub, white, 10"	.50
ILEX CRENATA—small leaved holly, purple berries	1.50
IRIS CRISTATA ALBA—white, 8", July, very dainty	.50
I. RUTHENICA—blue-purple, 8", May, grassy foliage	.35
I. TECTORUM—blue, 14", May, flower flat-topped	.50
LEDUM GLANDULOSUM—yellow green foliage	.75
L. PALUSTRE—Labrador Tea or Wild Rosemary—18", May	1.00
LEWISIA COLUMBIANA—tiny flowers, pink, 6", May	.50
L. C. ROSEA—larger flowers, deep rose, 6", May	.50
L. REDIVIVA—Bitterroot—pink or white, 4", April	.50
LINUM FLAVUM—Flax	.50
LITHOSPERMUM PROSTRATUM—gentian blue, 3", May	.50
LOISELEURIA PROCUMBENS—Alpine Azalea—pink, low	2.00
LYCHNIS ALPINA—deep rose pink, 4", June	.35
NEPETA MUSSINI—lavendar, 12", July	.25
N. M. SIX HILLS—taller, more robust, blue-lavendar	.25
N. M. SUPERBA—prostrate, fine for rock walls	.35
OMPHALODES VERNA—Creeping Forget-me-not—blue	.35
PENSTEMON MENZIESII—purple to lavendar, 3", May	.50
PHLOX DIVARICATA—lavendar-blue, 8", April	.50
PHLOX SUBLULATA, ALBA, APPLE BLOSSOM, ATROPURPUREA,	
BLUE HILLS, CAMLENSIS—pink, SPRITE—lavendar	.25
PIERIS FLORIBUNDA—creamy white panicles, 3', February	2.50
P. FORMOSA—new foliage very red	1.00
PLATYCODON MARIESI—Balloon Flower—blue, 10", July	.50
POTENTILLA CINERA—bright yellow, 1", April	.50
P. COCCINEA—ruby red, trailing, May	.75
P. FRUCTICOSA MONTANA—yellow, 3", May, gray foliage	
P. TONGUEI—apricot with red center, trailing, June	
PULMONARIA LUTEA—sulphur yellow, 8", crinkled leaves	.50
P. SACCHARATA—Lungwort—blue, 4", March	.35
P. S. MRS. MOON—Spotted Dog—pink, 8", spotted leaves	.50
RANUNCULUS MONTANUS—Mountain Buttercup—3", April	.35
ROSES—Cherub (peach pink), Leprechaun (white to pink), Marr	
	.50
(red), Oakington Ruby, Pink Midget, Pink Ruffles, Rouletti	
SANGUINARIA CANADENSIS—Bloodroot—white, 8", March	.50
SANTOLINA—Lavendar Cotton—yellow, gray foliage	.25
SAPONARIA OCCYMOIDES—bright pink, trailing, May	.50
SAXIFRAGA AEIZOON—Encrusted Saxifrage—white, 10"	.25
S A DOSEA was wink amallay they proceeding April	.25
S. A. ROSEA—rosy pink, smaller than preceding, April	.25
S. LINGULATA—white, 15", May	
S. MARGINATA—white with brown spots, 4", May	.25



Iberis saxatilis

S. MEGASEA—pink, 18", March, large leaves	.75
S. UMBROSA NANA—Dwarf London Pride—pink, 4", April	.35
SCABIOSA PARNASAFOLIA-Mourning Bride-18", June	.50
SEDUM MURALE, SPATHULIFOLIUM, SPATHULIFOLIUM ATROPUR-	
PUREUM, SPECTABILE REFLEXUM, REFLEXUM CRISTATUM	.25
SEMPERVIVUM—assorted varieties—Hen-and-chickens	.25
SENECIO CINERARIA—Dusty Miller—fine for edging	.25
SIEVERSIA CILIATA-rose, 12", June, looks like geum	.50
S. WHERRYI—brilliant pink, 5", June, spectacular	.50
SISYRINCHIUM BELLUM—Blue-Eyed Grass—8", May	.35
S. B. CALIFORNICUM—Yellow Star Grass—6", May	.25
S. DOUGLASI-Grass Widow-purple, 10", April	.25
TOFIELDIA FUSCA—yellow-brown, 3", likes moisture	.35
TUNICA SAXIFRAGA FLORE PLENO—pink, 8", fall	.50
VERONICA CUPRESSOIDES NANA—bright green shrub	1.00
V. GUTHERIANA—soft blue, 6", June	.75
V. HECTORI—wiry branches, akin to Cassiope in looks50 and	1.50
V. RUPESTRIS—bright blue, trailing, May, robust	.35
V. R. NANA ROSEA—lavendar pink, 3", June, fast growing	.25
VIOLA ARENARIA ROSEA—dusky rose, 5", May, sun-loving	.25
V. CUCULLATA—Bogdice Violet—light blue	.25
V. ODORATA THE CZAR—white, 4", April, very fragrant	.25
V. O. ROSINA—old rose, 4", April, equally fragrant	.25

Phlox subulata



Conifers

Sun and moist sandy soil suit the dwarf spruce (picea) and juniper best while the majority of the other conifers in this list prefer richer soils, more moisture, and as much sun. There are suitable forms for every location in the rock garden and, if you have never used these low growing shrubs, you have missed an opportunity for interest and accent.

NOTE: Colors in descriptions refer to foliage.

ABIES LASIOCARPA-Alpine Fir-stiff needles	\$5.00
ABIES PINSAPA GLAUCA—gray-green, symmetrical	7.00
CHAMAECYPARIS LAWSONIANA ELWOODI—gray, columnar	4.00
C. L. NANA-globose, blue-green, feathery, 10"	3.00
C. L. PISIFERA FILIFERA NANA—12", gray green	3.50
C. PISIFERA DUMOSA—15", squat, silvery green balls	2.50
CRYPTOMERIA JAPONICA NANA-10", bronze in winter	3.00
JUNIPERUS COMMUNIS x SCOPULARUM—very slow	.75
J. C. COMPRESSA—18", columnar, gray\$2.00 and	4.00
J. VARIEGATA—golden and green, prostrate	1.50
J. MONTANA—gray foliage, creeping, native	.50
P. A. CONICA—pyramidal, 2-5', formal	4.00
P. A. NIDIFORMIS—yellow green, 12", concave top	4.00
P. A. PROCUMBENS—looser growth, 15", longer needles	4.00
P. A. PUMILA—dark green, 12", short needles	4.00
P. A. REPENS—loosest growing of all, 15"	4.00
P. ORIENTALIS—slow growing tree of large size	8.00
PINUS MUGHO—spreading, compact	5.00
TAXUS CUSPIDATA AUREA—upright, new needles golden	3.00
T. C. NANA—irregular shape, 2',	4.00
T. REPANDENS—graceful, broadly spreading	3.50

Juniperus montana



Heathers

Year round color of flowers and foliage are offered by the heaths. The soil for them should abound in peat moss; may be neutral or slightly acid; and, should contain plenty of well rotted manure. Prune heathers after flowering to keep plants low and compact.

In addition to the prices listed or where no price is given plants will be ready for late spring delivery at 50 cents each.

BRUCKENTHALIA SPICULIFOLIA—pink, 8", June	.85
CALLUNA VULGARIS ALBA—whte, 15", summer	.85
C. V. ALPORTI-red-purple, 18", August, stiff	1.00
C. V. COUNTY WICKLOW-double pink, 10", August	.75
C. V. ELSE FRYE—double white, very prostrate	.75
C. V. FLORE PLENO—double lavendar, 15", July75 and	.85
C. V. FOXI NANA-pink, 4", July, compact	1.50
C. V. MRS. H. E. BEALE-double pink, 20", August	.85
C. V. MRS. GRAY—excellent foliage, deep lilac	.75
C. V. MRS. J. H. HAMILTON-double rose, 8", September	.75
C. V. MCKAYI-pale lavendar, 8", June, lovely	.85
C. V. MINIMA-lavendar, 6", June, mossy	.75
C. V. M. SMITH'S VARIETY—lavendar, 6", July	.75
C. V. NANA—lavendar, 4", June, darker than Minima	.75
C. V. PYGMAEA—lavendar, 8", June, light green	.75
C. V. MRS. PAT—new, pink tips to foliage	.75
C. V. VARIEGATA—pinkish lavendar, 15", June	.75
DABOECIA AZORICA—deep rose, low growing, July	1.00
D. POLIFOLIA ALBA—white, 4", September	.75
D. POLIFOLIA—St. Daboec's Heath—purple, 15", July	.75
ERICA ARBOREA ALPINA—white, 4', September	1.25
E. CARNEA-Winter Heath-rosy purple, prostrate	
E. C. KING GEORGE—rose, December, one of the best	1.50
E. C. SPRINGWOOD PINK—laden with flowers in February	
E. C. SPRINGWOOD WHITE—January, light green foliage	
E. C. VIVELLI—crimson, bronze foliage, January	
L. C. TTTELL CHINSON, DIGITZE TOHAGE, January	

Winter Blooming Heathers





Erica vagans Mrs. D. F. Maxwell

E. CILIARIS—rose, 10", July, endures moisture	.85
E. CILIARIS MRS. GILL—deeper in color	.75
E. CINEREA—reddish purple, 15", August, foliage light	
green	.85
E. C. ALBA-white, 15", August, foliage light green75 and	.85
E. C. DOMINO—white with chocolate sepals, 9", August	.75
E. C. G. FORD—garnet, 10", July, slow growing	.75
E. C. GOLDEN DROP—foliage yellow tipped	.75
E. C. RUBRUM—brilliant scarlet, 6", July	.75
E. DAWN—large soft pink flowers, 10", July	.85
E. HYBRIDA MEDITERRANEA—rosy lavendar, 12", January	.85
E. HYBRIDA WATSONI—rusty red, 12", August	.85
E. MACKIANA—frosted pink, 8", July	.75
E. McKAYI FLORE PLENO—double pink, 10", June	.75
E. STRICTA—deep rose, 4-5', August	1.00
E. TETRALIX—soft pink, 12", June	
E. TETRALIX ALBA—white, 15", June ,stiff foliage	
E. T. MOLLIS—white tinged with pink, 12", May	.85
E. T. PRAGERI—very deep pink	.75
E. VAGANS-Cornish Heath-lilac, 15", August	.75
E. V. ALBA—white, 15", August	.85
E. V. MRS. D. F. MAXWELL-bright rose, 15", September	.75
E. V. ST. KEVERNE-rose pink, 12", September	
E. WILLIAMSI-pink, 15", July, yellow foliage tips	
E. WYCH—large shell pink flowers, 18", June	.85
PHYLLODOCE EMPETRIFORMIS—rose red, 12", August75 and	1.25

Rhododendrons, Camellias and Azaleas

Acid soil and plenty of water in late summer during the growing season will help to keep these choice shrubs in good health. To acidify neutral or alkaline soil use a pound of sulphur to 100 sq. ft. Dwarf rhododendrons and azaleas are particularly desirable for rock garden use since they are very slow growing.

AZALEA FLAME CREEPER—single, orange red, 4"	\$3.00
AZALEA HEXE—bright red, May	1.25
A. HINODEGIRI—in several varieties	1.25
A. MACRANTHA—rose, evergreen	.50
A. MOLLIS—salmon, deciduous	5.00
A. VASEYI—loose growing, soft pink, tall	5.00
CAMELLIA JAPONICA—Akebono, Belle Romano, Dai Kagura,	
Grandiflora rosea, Little Cheerful, Purity and others	1.25
CAMELLIA SASANQUA ALBA and Briar Rose	1.25
CAMELLIA THEA (THEA SINENSIS) Tea Plant	1.00
RHODODENDRON CILIATUM, R. RACEMOSUM	1.00
R. FASTIGIATUM, R. FERRUGINEUM, R. HIRSUTUM, and R. IM-	
PEDITUM 1.50 and	4.00
R. MUCRONULATUM—flowers appear before leaves	5.00



Rhododendron racemosum

Dwarf Brooms

Brooms like sunny banks and crannies where the soil is not particularly rich. Their gay flowers brighten the scene in late spring and early summer. Unusual effects can be created with the various unusual types of foliage.

CYTISUS ARDOINI-yellow, 8", June, soft leaves\$	1.50
C. KEWENSIS-creamy white, prostrate, handsome, May	.75
C. PROCUMBENS—bright yellow, prostrate, June	.75
C. PURPUREUS-purple mauve, 18", May, graceful	.75
C. VERSICOLOR—yellowish white and pale purple, 3'	.75
GENISTA SAGITTALIS—Arrow Broom—butter yellow, low .75 and	1.25

Creepers and Ground Covers

Many banks and narrow strips of ground which are unsatisfactory when planted in lawn become a source of great pleasure when planted with one or more of these low spreading plants. Requirements differ according to the plant. The first list contains those suitable under rhododendrons and other ericaceous plants.

ARCTOSTAPHYLOS UVA-URSI, A. INTERMEDIA—	
Kinnikinnick	.50
EPIMEDIUM MACRANTHUM ROSEUM—rosy pink, 12"	.50
POLYGONUM VACCINAEFOLIUM—spikes of pink, August .50 and	.75
VACCINEUM VITIS IDAE, V. V. I. MINOR-Lignon Berry	1.00
VANCOUVERIA HEXANDRA—creamy fls., 8", April	.50

These ground covers have more general uses. Single plants sell for 25 cents. Quantities purchased by the flat (12''x24'') sell for \$2.50 per flat.

ACAENA GLAUCA,
A. MICROPHYLLA
AJUGA GENEVENSIS,
A. REPTANS RUBRA
BELLIUM MINUTUM
COTULA SQUALIDA
ISOTOMA FLUVIATILE
EUONYMOUS RADICANS
MINIMA
LINNAEA BOREALIS

LUETKEA PECTINATA

MAZUS REPTANS

MENTHA REQUIENI

NIEREMBERGIA RIVULARIS

SAGINA SUBULATA


SEDUM ACRE

THYMUS SERPYLLUM—three colors

VERONICA REPENS

VINCA MINOR—blue, white, red

Creeping Thyme



Primroses

While rich loam and partial shade are considered prime requisites for fine primroses yet you find them flowering beautifully under many other conditions. Primroses begin to flower in earliest spring with the polyantha and acaulis varieties and continue for several months.

P. CAPITATA—an unusual one, deep lavendar blue P. CASHMERIANA—lavendar flowers in dense heads P. JAPONICA—candelabra type, white to rose, 15"	.50 .75 .50 .50
P. JULIAE (The following hybrids are available.)	
Dorothy	.75
Helenae	.50
Jewel	.50
Kimlough Beauty	.50
	.50
	.50
	.75
	.50



Primula Juliana X rosea

Bulbs and Some Native American Plants

	Each	Doz.
ARISOEMA TRIPHYLLUM—Jack-in-the-pulpit\$.25	\$2.50
ASARUM CAUDATUM—Wild Ginger—Collected plants	.25	1.50
CYPRIPEDIUM ACAULE, G. PUBESCENS, C. SPECTABILE—		
Ladyslippers, rose, yellow and pink respectively	.35	3.50
DICENTRA CUCULLARIA—Dutchman's Breeches 3 for	.65	2.00
ERYTHRONIUM—Avalanche Lily—fall delivery only	.15	1.50
HEPATICA TRILOBA—Liverleaf—white to blue	.50	5.00
MUSCARI BOTRYOIDES—Grape Hyacinth	.10	.75
ORNITHOGALUM UMBELLATUM—Star of Bethlehem	.10	.75
SCILLA—Wood Hyacinth—Squills	.10	.75
TRILLIUM GRANDIFLORUM—white	.25	2.50
T. SESSILE LUTEUM—fragrant, sulphur yellow	.35	3.50



Primula cashmeriana

Ferns

This year we are offering some very lovely ferns which are listed according to whether or not they are sun or shade loving. Each, 25c.

Sun-loving

CHEILANTHES

CRYPTOGRAMMA STELLERI Rock Brake

PELLAEA Cliff Brake Shade-loving

ADIANTUM PEDATUM Maidenhair Fern POLYSTICHUM VIVIPARUM Spanish Fern STRUTHIOPTERIS SPICANT Deer Fern

Perennial Asters

Excellent for color in summer and early fall.

DWARF-25c each

COUNTESS OF DUDLEY-pink DAPHNE-soft pink

MARJORIE-bright rose NIOBE-white

TIBETICUS—lavendar

TALL

25c each

BARR'S PINK-deep rose

50c each

MRS. FRANCES CHILDERS-carmine rose ERECOIDES—tiny white flowers FRIKARTI—Wonder of Staffa—blue LUTEUS—small yellow flowers HARRINGTON'S PINK—rosy pink

Perennials

Few plants require less attention for the return given than the tall perennials which are used in borders and beds for summer color and which provide such quantities of cut flowers if well fertilized. Most of them prefer a sunny location.

ACKOSTEMMA TEOS SO TIO Bringin plant nowers, woon, leaves					
ANTHEMIS TINCTORIA—bright yellow daisies, 3', July	.25				
AQUILEGIA CRIMSON STAR—striking red and yellow, 2', July	.25				
A. SCOTT ELLIOTT HYBRIDS—pastel shades, 3', July	.25				
ARTEMISIA LACTIFLORA—creamy white, 4', August	.35				
A. SILVER KING—silvery foliage, 3', flowers not showy	.25				
ASTILBE ARENDSI FANAL—bright red	.75				
A. CHINENSIS—white, pink, or rose, foamy flowers, 18"	.50				
CAMPANULA GLOMERATA—deep blue, 18", June	.50				
C. PERSICIFOLIA—Peach Leaved Bells—blue, 3', June	.25				
C. P. TELHAM BEAUTY—larger flowers of clear blue	.50				
CENTAUREA CYANEA—Perennial Bachelor Button	.35				
CHELONE TORREYI—scarlet, 20", July, attracts hummingbirds	.35				
CORYDALIS LUTEA—bright yellow, 8", likes moisture	.25				
DELPHINIUM CLIVEDEN BEAUTY—light blue, 5', summer	.25				
DICENTRA SPECTABILIS—Bleeding Heart—1' to 2', May	.50				
DIGITALIS PURPUREA—Foxglove—mixed colors and apricot	.25				
DORONICUM CAUCAUSICUM—yellow daisies in April, 18"	.35				
GAILLARDIA GOBLIN—red and yellow, 10", July	.35				
GERANIUM MACULATUM—orchid, 18", June	.25				
GEUM LADY STRATHEDEN, G. MRS. BRADSHAW—orange, red	.35				
GYPSOPHILA PANICULATA—Baby's Breath—white, 4', summer	.35				
HEMEROCALLIS HYPERION—Day Lily—the best light yellow	1.00				
HOSTA LANCIFOLIA—Funkia or Plaintain Lily—lavendar, 18"	.25				
IRIS OCHROLEUCA—white with yellow claw, 4', June	.50				
I. SIBIRICA—blue or white, 3', May, good for cutting50 and	1.50				
LINUM PERENNE—soft blue, 2', June and July	.50				
LYCHNIS CHALCEDONICA—Scarlet Lightning—3', June	.35				
L. VISCARIA SPLENDENS FLORE PLENO—rosy red, "18,, July					
MECONOPSIS BETONICIFOLIA—sky blue, golden anthers, 3', July					
NIEREMBERGIA HIPPOMANICA PURPLE ROBE—10", June					
OENOTHERA SULPHUREA ODORA—Evening Primrose—3', July	.35				
PAPAVER NUDICAULE—deep apricot, 18", all summer	.25				
P. ORIENTALE—scarlet, 18", July	.50				
PENSTEMON CALIFORNICUM—clear blue, 3', July, shiny leaves					
PHLOX DECUSSATA—lavendar, pink or white					
	.35				
50 cents each					
AFRICA (red) SALMON QUEEN					
BEACON (scarlet) SNOWCAP					
COMUS (vermilion) SPATROT (salmon)					
LILLIAN (soft pink) THOR (salmon and carmine pink	.)				
PODOPHYLLUM PELTATUM—May Apple—white, 15", May	.50				
POLEMONIUM CAERULEA—Jacob's Ladder—blue, 12", June	.35				
PYRETHRUM ROSEUM—Painted Daisy—double red	.50				
PHYLLIS (pink), PATRICIA (pink), PURITY (white)					
STOKESIA LAEVIS—broad heads of blue, 12", summer	.50				

Herbs

APPLEMINT,	CATNIP,	CHIVES,	OLD	MAN,	PARSLEY	or	THYME\$.25
ROSEMARY	or SAGE							.50

Seeds

Seeds are not our specialty but some of our own are gathered and some collecting in the wild is done. We will be glad to receive your requests.

Fuchsias

These shade loving plants with their showy flowers often thrive in sun also but are not, for the most part, hardy in the Northwest except in locations where lake or Sound breezes temper the air. 50 cents each.

Baby Bunting	rrosty	Pacific Grove
Chang	Giant Cascade	Pacifica
Covent Garden	Kitty O'Day	Pebble Beach
Display	Macrostimma Alba	Pink Pearl
Elsa	Margarita	Riccartoni
Fanfare	Mrs. Rundle	Rollo
Fritz Kreisler	Old Del Monte	The Doctor
	75 cents each	
Heron	Seventeen	Titanic
Marinka	San Francisco	Uncle Jules




Fuchsia Display

Water Plants

A well planned pool will not only have water lilies, whose flowering season is short, but will contain bog and other water plants to lengthen the season of bloom and will also have some submerged oxygenating plants for the fish. Snails are good scavengers and will complete the balance of the water garden.

AZOLLA—Water Fern—per portion	0.10
ANACHARIS-Elodea-Fish Greens-per bunch	.25
CATTAIL—6 ft., usurps all space available	.25
IRIS PSEUDACORUS—yellow, 3 ft., July	.25
I. VERSICOLOR—blue, 2 ft., July	.25
MYRIOPHYLLUM—Fish Greens—per bunch	.25
POTAMOGETON—Pondweed—submerged oxygenator	.25
SAGITTARIA LANCIFOLIA—white, 2 ft., May	.25
S. NATANS—submerged, 6"	.25
S. SAGITTAEFOLIA—true Arrowhead, 2 ft., white	.25
WATER FORGET ME NOT—blue, 6", all summer	.25
WATER HYACINTH—floating, lavendar, not hardy, do not order	
before May 1	.25
WATER POPPY—butter yellow, surface, May	.25
WATER LILIES—supply varies with the season—write for prices if	
interested.	
SNAILS—several varieties	.02
Occasionally are not available in the season when they are	

Occasionally are not available in the season when they are propagating.



A, Ramshorn Snails; B, Shell of Trapdoor Snail; C, Pond Snails; FISHGREENS: D, Myriophyllum; E, Anacharis; F, Nitella.